
























**LAMPIRAN****DAFTAR BAHAN BERBAHAYA DAN BERACUN (B3)  
RSUD dr. SOEDIRAN MANGUN SUMARSO**






<b>No</b>	<b>Nama Dagang</b>	<b>Kandungan</b>	<b>Bentuk Sediaan</b>	<b>Kategori</b>	<b>Tanda</b>	<b>MSDS</b>
1	Alkohol 96% 1000 ML	Alkohol 96%	Cairan	Cairan mudah terbakar		Ada
2	Alkohol 70% 1000 ML	Alkohol 70%	Cairan	Cairan mudah terbakar		Ada
3	Spiritus ?	Spiritus	Cairan	Cairan mudah terbakar		Ada
4	Natrium Hipoklorit 30 Kg	NaOCl	Cairan	Oksidator, Cairan mudah terbakar		Ada






						
5	Asam sitrat 1 Kg	Asam sitrat anhidrat	Serbuk	Oksidator		Ada
6	Argenti Nitrat	AgNO <sub>3</sub>	Serbuk	Korosif		Ada
7	Hydrogen peroxide 800 ml	H <sub>2</sub> O <sub>2</sub> 50%	Cairan	Korosif		Ada
8	MFL 5 L	H <sub>2</sub> O <sub>2</sub> Asam asetat Aquadest	Cairan	Korosif (simpan suhu 24°C)		Ada


						
9	Paraformaldehid 100 tablet	Tablet formaldehid 100 mg	Padatan	Karsinogenik, Beracun	 	Ada
10	Formalin 10 L	Formalin Cair 37%	Cairan	Karsinogenik, Beracun	 	Ada
11	Phenol crystal	Phenol crystal	Kristal cairan	Beracun		Ada

12	Povidone Iodine 10 % 1000 ML	Povidone Iodine	Cairan	Beracun		Ada
12	Povidone Iodine 10 % 300 ML	Povidone Iodine	Cairan	Beracun		Ada
13	Resorcinol	Resorcin	Cairan	Bahaya bagi lingkungan		Ada
14	Aniosym	N,N-didecyl-N-metil poli (heksametil ammonium propionate), Poli(hemametil en biguanid) hidrochloride, Excipients	Cairan	Iritasi		Ada
15	Barium sulfat	Barium sulfat (BaSO <sub>4</sub> )	Serbuk	Iritasi		Ada
16	Cidezym	Monopropilenglikol Monotrietanol	Cairan	Iritasi		Ada

						
17	Desinfektan L-100	Liquor cresoli saponatus	Cairan	Iritasi		Ada
18	Gigazym	Polymhexamethylene Biguanide Hydrochloride	Cairan	Iritasi		Ada
19	Gigasept	Succinindialdehyde, Dimethoxytetrahydrofurane, Ethanol, Propanol, Methanol, Alcohols, Ethoxylated, Sulfosuccinates, Disodium salts	Cairan	Iritasi		Ada





20	Intersorb plus	Sodaine carbon dioxide absorbent	Kristal	Iritasi		Ada
21	Jelly Lacer	Water soluble high polymer	Semi padat	Iritasi		Ada
22	Hydrex/ Onesclub	Chlorheksidine gluconate 4% b/v	Cairan	Iritasi		Ada
23	Maliseptol	Propane, Didecyldi metil ammonium chloride, Eksipient (non ionic surfactant), Purified water	Cairan	Iritasi		Ada
24	Primasept	1-Propanol, 2-Propanol, 2-Bipenilol	Cairan	Iritasi		Ada






25	Rapid fixer	Ammonium Tthiosulphate	Cairan	Iritasi		Ada
26	Aseptic gel 500 ml	Etanol, Propanol	Cairan	Iritasi		Ada
27	Stabimed	Cocopropilen diamine, Surfacant, Solvent, Complexing agent, Corotion inhibitor	Cairan	Iritasi		Ada
28	Zinc Oxide	ZnO	Serbuk	Iritasi		Ada
29	Solar	Solar	Cairan	Mudah terbakar dan meledak		


30	Renalin	Hydrogen Peroxide	cairan	korosif		







**DAFTAR REAGEN RSUD DR. SOEDIRAN MANGUN SUMARSO**






No	Nama Dagang	Kandungan	Bentuk Sediaan	Kategori	Tanda	MSDS
1	EA-50	Campuran spiritus, metil alkohol, isopril alkohol, eosin_Y	Cairan	Mudah terbakar, dan beracun		Ada
2	Eosin Y 1%	Campuran spiritus, metil alkohol, isopril alkohol, eosin_Y	Cairan	Mudah terbakar, dan beracun		Ada
3	HCT (Hydroxylating Konversi Treatment)	Hidroxlating Konversi Treatment	Cairan	Iritasi		Ada
4	Collection fluid	Air deionisasi Isopropyl alkohol Metil alkohol	Cairan	Iritasi, mudah terbakar		Ada






		Trihidrat biru metile				
5	Hematoxilin	b-Dihydrobenz [b] indeno [1,2 - d] pyran-3, 4, 6a, 9, 10 (6H)-pentol	Cairan	Iritasi		Ada
6	Bluing	SODIUM CARBONATE LITHIUM CARBONATE	Cairan	Iritasi		Ada
7	Xylol	Xylene (isomer campuran) {Benzene, dimetil-} Etilbenzena {Ethylbenzol; Phenylethane}	Cairan	Iritasi, mudah terbakar	 	Ada


8	Orange G	Asam orange 10; 7- Hydroxy-8- (phenylazo) -1,3 - acid disodium salt Naphthalenedis ulfonic	Cairan	Iritasi		Ada

**DAFTARX-RAY RSUD DR. SOEDIRAN MANGUNSUMARSO**





<b>No</b>	<b>Nama Dagang</b>	<b>Kandungan</b>	<b>Bentuk Sediaan</b>	<b>Kategori</b>	<b>Tanda</b>	<b>MSDS</b>
1	X-RAY C-ARM UPP UK 210MM X 25M TIPE II @ 20 CM	Negative film	Lembaran film	Mudah terbakar		Ada
2	X-RAY FCR UK 20X25 CM @ 150 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
3	X-RAY FCR UK 26X36 CM @ 150 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
4	X-RAY FCR UK 35X43 CM @ 100 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada

5	X-RAY FILM 18 X 24 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
6	X-RAY FILM 24 X 30 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
7	X-RAY FILM 30 X 40 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
8	X-RAY FILM 35 X 35 (RADIOLOGI)	Negative film	Lembaran film	Mudah terbakar		Ada
9	X-RAY FILM CT SCAN 8 X 10 (20 X 25 CM RO)	Negative film	Lembaran film	Mudah terbakar		Ada





10	X-RAY FILM CT SCAN 11 X 14 (28 X 35 CM/ RO)	Negative film	Lembara n film	Mudah terbakar		Ada
11	X-RAY FILM CT SCAN 11 X 17 (35 X 43 /RO)	Negative film	Lembara n film	Mudah terbakar		Ada
12	X-RAY FILM PANORAMIC 15X30 (AGFA FILM) (RADIOLOGI)	Negative film	Lembara n film	Mudah terbakar		Ada
13	FIXER	Ammonium Thiosulphate	Cairan	Iritasi		Ada
14	DEVELOPER	Hydroquinon	Cairan	Iritasi, Beracun		Ada

						
--	--	--	--	--	---	--





**Daftar Obat Sitostatika( Di RSUD dr.Soediran MS Belum Ada )**





<b>No</b>	<b>Nama Dagang</b>	<b>Kandungan</b>	<b>Bentuk Sediaan</b>	<b>Kategori</b>	<b>Tanda</b>	<b>MSDS</b>
1	<b>Bleocin 15 mg</b>	<b>Bleomycin 1 mg / ml (15 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
2	<b>Bondionat 6 mg</b>	<b>Ibandronic Acid 1 mg/ml (6 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
3	<b>Campto 100 mg</b>	<b>Irinoteca Hcl 20 mg / ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
4	<b>CARBO platin 450 mg</b>	<b>Carboplatin 10 mg / ml (45 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik		Ada












				terhadap Organ Sasaran Spesifik		
5	<b>CISplatin</b> <b>10 mg</b>	<b>Cisplatin 1 mg / ml</b> <b>(10 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
6	<b>CISplatin</b> <b>50 mg</b>	<b>Cisplatin 1 mg / ml</b> <b>(50 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
7	<b>Curasil</b> <b>500 mg</b>	<b>5 Flurouracil 50 mg</b> <b>/ ml</b> <b>(10 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
8	<b>Cyclovid</b> <b>200 mg</b>	<b>Cyclophospamide</b> <b>200 mg/ vial</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas		Ada


				Sistemik terhadap Organ Sasaran Spesifik		
9	<b>Endoxan 1000 mg</b>	<b>Cyclophosphamide 1000 mg/ vial</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
10	<b>Endoxan 200 mg</b>	<b>Cyclophosphamide 200 mg/ vial</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
11	<b>Endoxan 500 mg</b>	<b>Cyclophosphamide 500 mg/ vial</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
12	<b>Brexel 20 mg</b>	<b>Docetaxel 40 mg / ml (0,5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada

13	<b>Brexel 80 mg</b>	<b>Docetaxel 40 mg / ml (2 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksitas Sistemik terhadap Organ Sasaran Spesifik		Ada
14	<b>DOXOrubicin 50 mg</b>	<b>Doxorubicin Hcl 2 mg/ml (25 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksitas Sistemik terhadap Organ Sasaran Spesifik		Ada
15	<b>DOXOrubicin 10 mg</b>	<b>Doxorubicin Hcl 2 mg/ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksitas Sistemik terhadap Organ Sasaran Spesifik		Ada
16	<b>DOXOrubicin (actavis) 50 mg</b>	<b>Doxorubicin Hcl 2 mg/ml (25 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksitas Sistemik terhadap Organ Sasaran Spesifik		Ada

17	<b>EPIrubicin 50 mg</b>	<b>Epirubicin 2 mg/ml (25 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksisitas Sistemik terhadap Organ Sasaran Spesifik		Ada
18	<b>leucoGEN 300 µg</b>	<b>Filgrastin 300 µg / ml (1 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksisitas Sistemik terhadap Organ Sasaran Spesifik		Ada
19	<b>leucoVORIN 50 mg</b>	<b>Leucovorin 10 mg/ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksisitas Sistemik terhadap Organ Sasaran Spesifik		Ada
20	<b>vincristin 1 mg</b>	<b>Vincristin 1 mg/ml (1 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksisitas Sistemik terhadap Organ Sasaran Spesifik		Ada

21	<b>vincristin 2 mg</b>	<b>Vincristin 1 mg/ml (2 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
22	<b>Haloxan 1000 mg</b>	<b>Ifosfamide 1000 mg</b>	Serbuk	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
23	<b>Eloxatin 50 mg</b>	<b>Oxaliplatin 5 mg/ml (10 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
24	<b>Mesna 400 mg</b>	<b>Uremetoxan 100 mg/ml (4 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada

25	<b>Methotrexate 50 mg</b>	<b>Methotrexate 25 mg/ml (2 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
26	<b>Mitomycin 10 mg</b>	<b>Mitomycin-c 10 mg</b>	Serbuk	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
27	<b>Paxus 30 mg</b>	<b>Paclitacel 6 mg/ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
28	<b>Sindaxel 100 mg</b>	<b>Paclitacel 6 mg/ml (16,67 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada
29	<b>Sindaxel 30 mg</b>	<b>Paclitacel 6 mg/ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi		Ada

				Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		
30	<b>Zometa 4 mg</b>	<b>Zoledronic Acid 4 mg/5 ml (5 ml)</b>	Cairan	Karsinogenisitas Mutagenesitas Sel Induk Toksik terhadap Reproduksi Sensitisasi Pernafasan Toksistas Sistemik terhadap Organ Sasaran Spesifik		Ada